

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	31	tamperproof near2 enclosure and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 09:59
L3	0	"5661700".pn. and (tamper or tamperproof or secur\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 09:41
L4	921	713/178.ccls. 368/46.ccls. 368/47. ccls. 713/503.ccls. and @pd>"20050406" and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 10:00
L5	149	l4 and time with updat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 10:00
S1	2	published adj time same private adj time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 15:55
S2	6	private adj time and time with update\$2 and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:06
S3	17	privat\$4 near3 time and (other or normal or regular or published) near3 time with updat\$4 and @ad<"20011227" not S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:14
S4	1	(privat\$4 or unpublished) adj time same time with updat\$4 and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:19

S5	68631	time with updat\$4 and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:20
S6	26938	time near2 updat\$4 and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:20
S7	955	S6 and timestamp\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:21
S8	234	S7 and difference with time\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:27
S9	10429	(secret or privat\$3 or unpublished or second) near2 time and time with updat\$4 and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:29
S10	4901	(secret or privat\$3 or unpublished or second) adj time and time with updat\$4 and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:29
S11	9	(secret or privat\$3 or unpublished) adj time and time with updat\$4 and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:38
S12	1530	updat\$4.ti. and (clock or time).ti. and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:38

S13	414	(updat\$4 near1 (time or clock)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:39
S14	326	(updat\$4 near1 (time or clock)).ti. and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:44
S15	145	713/178.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:45
S16	119	S15 and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 17:17
S17	15	jacques.in. and debiez.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 17:17
S18	6	S17 and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 17:18
S19	409	james.in. and hughes.in. and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 17:19
S20	35	S19 and (clock or time with updat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 17:22

S21	842	storage.asn. and technology.asn. and corporation.asn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 17:23
S22	770	S21 and @ad<"20011228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 17:23
S23	49	S22 and ((time or clock) with updat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 17:25
S24	17487	second adj (clock or time adj source or timesource or time adj reference) and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 17:26
S25	1478	S24 and updat\$4 with (time or clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 17:28
S26	296	S24 and updat\$4 near (time or clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 17:28
S27	404	713/503.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 14:53
S28	2	"6408388".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 18:02

S29	10	"5887065".pn. "5136646".pn. "5189700".pn. "5136643".pn. "5022080".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 18:10
S30	1030	(multiple or plurality) adj clocks and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 18:10
S31	116	S30 and time with updat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 18:11
S32	72	S30 and time near2 updat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 18:22
S33	685	368/46.ccls. 368/47.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 18:23
S34	78	S33 and @ad<"20011227" and time with updat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:50
S35	2	"0683443".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 09:08
S36	1	"EP 683443".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 16:44

S37	3	"4322831".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 09:32
S38	2	"5040158".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 09:53
S39	2	"5579510".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 09:58
S40	2	"5805530".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 10:29
S41	2	"5442599".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 10:21
S42	2	"5521887".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 10:21
S43	2	"5425004".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 10:24
S44	2	"5287109".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 10:25

S45	2	"5274545".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 10:26
S46	2	"5225313".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 10:26
S47	2	"4490050".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 10:27
S48	2	"4177454".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 10:29
S49	3	"4023344".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 10:30
S50	3	"3811265".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 10:31
S51	2	"5225826".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 12:01
S52	2	"5083123".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 12:02

S53	2	"5539802".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 14:41
S54	2	"5444780".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 14:43
S55	2	"5189700".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 14:43
S56	2	"5136643".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 14:43
S57	2	"5001752".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 14:44
S58	39	time near (updat\$3 or correct\$3) and private near time and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 14:47
S59	405	713/503.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 14:53
S60	358	S59 and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 14:54



S61	25	S60 and time with updat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 15:05
S62	0	"5826066".pn. and power\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 15:09
S63	0	"5826066".pn. and batter\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 15:09
S64	0	"6530023".pn. and (power\$3 or batter\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 15:09
S65	0	S60 not S61 and (private or secret or published) adj time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 15:10
S66	3	S60 not S61 and (private or secret or published) with time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 15:11
S67	333	S60 not S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 15:11
S68	0	replay adj attack\$2 same time adj updat\$3 and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 15:39

S69	22	replay adj attack\$2 and time adj updat\$3 and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 15:42
S70	29	replay adj attack\$2 with second\$2 and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 15:43
S71	3	replay adj attack\$2 with seconds and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 15:43
S72	2	"5661700".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 16:07
S73	2	"6236277".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 16:10
S74	0	S73 and (quartz or crytal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 16:11
S75	2	S73 and oscillator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 16:18
S76	2	"5661700".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 16:18

S77	2	time adj updat\$4 same once with month and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 16:45
S78	56	time adj updat\$4 same month and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 16:46
S79	17	time adj updat\$4 with month and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 16:47
S80	2	"5500897".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 16:57
S81	0	S80 and month	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 16:49
S82	1	S80 and request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 16:49
S83	0	S80 and oscillator\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 16:57
S84	11	(713/178.ccls. or 713/503.ccls. or 368/46.ccls. or 368/47.ccls.) and @ad<"20011227" and @pd>"20050406"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 10:59

S85	1	"20030126447".pn. and clock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 15:30
S86	0	S85 and second adj clock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 15:31
S88	17547	second adj ((time adj source) or clock) and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 15:32
S89	245	second adj ((time adj source) or clock) same updat\$3 and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 15:33
S90	138	second adj ((time adj source) or clock) with updat\$3 and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 15:34
S91	57	second adj ((time adj source) or clock) same updat\$3 with first adj ((time adj source) or clock) and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 15:34
S92	2	"5826066".pn. and clock\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 10:22
S93	2	"5661700".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 10:11

S94	2	"6408388".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 10:26
S95	357	368/59.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 10:40
S96	25	S95 and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 10:40
S97	709	(secret or private or second\$3 or slave) adj (clock or time adj source) with (updat\$3 or adjust\$3) and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 10:55
S98	100	(secret or private or second\$3 or slave) adj (clock or time adj source) with (updat\$3 or adjust\$3) same (updat\$3 or adjust\$3) with (condition\$3 or difference) and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 10:57
S99	10	(secret or private or second\$3 or slave) adj (clock or time adj source) with (updat\$3 or adjust\$3) same (updat\$3 or adjust\$3) with (condition\$3 or (difference with less)) and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 11:43
S10 0	2	"6343050".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 11:34
S10 1	2	"6876573".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 11:35

S10 2	2	"6873573".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 11:35
S10 3	22	(secret or private or second\$3 or slave) adj2 (clock or time adj source) with (updat\$3 or adjust\$3) same (updat\$3 or adjust\$3) with (condition\$3 or (difference with less)) and @ad<"20011227" not S102	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 11:54
S10 4	2	"5519433".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 11:55
S10 5	2	"6236623".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 12:16
S10 6	2	"5661700".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 13:31
S10 7	1	S106 and (request or update)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 13:36
S10 8	0	S106 and request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 13:32
S10 9	0	S106 and timestamp\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 13:36

S11 0	1	"20030126447".pn. and expir\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 15:24
S11 1	23	cesium near6 updat\$3 and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 15:15
S11 2	981	cesium near3 (clock or source) and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 15:15
S11 3	276	cesium near3 (clock or time adj source) and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 15:16
S11 4	5	cesium near3 (clock or time adj source) same (updat\$3 or adjust\$3) and @ad<"20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 15:16
S11 5	1	"20030126447".pn. and clock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 15:24